STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION:12 BASIN: **Upper Colorado River** Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
1. Mainstem of the Colorado River, including all tributaries and wetlands, within Rocky Mountain National Park, or which flow into Rocky Mountain National Park.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
2. Mainstem of the Colorado River, including all tributaries and wetlands within, or flowing into Arapahoe National Recreation Area.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
3. Mainstem of the Colorado River from the outlet of Lake Granby to the confluence with Roaring Fork River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II)°C D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
4. All tributaries to the Colorado River, including all wetlands, from the outlet of Lake Granby to the confluence with the Roaring Fork River, which are on National Forest lands, except for those tributaries included in Segments 1 and 2, and specific listings in Segments 8, 9 and 10a.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
5. All lakes and reservoirs tributary to the Colorado River from the boundary of Rocky Mountain National Park and Arapahoe National Recreation Area to a point immediately below the confluence with the Roaring Fork River which are not on National Forest lands, except for specific listing in Segments 11 and 12.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL,CLL)°C Wolford Mtn Res April-Dec $T_{(WAT)}$=19.73°C Williams Fork Res April-Dec $T_{(WAT)}$=21.55°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
6a. All tributaries to the Colorado River, including all wetlands, from the source to a point immediately above the confluence with the Blue River and Muddy Creek, which are not on National Forest lands, except for specific listings in Segments 1, 2, 4, 5, 6b, 6c, 8, 9 and 10a-c.		Aq Life Cold 1 Recreation P Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=630/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 NO_2=0.05 B=0.75 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS)	Hg(ch)=0.01(tot Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
6b. Mainstem of un-named tributary from the headwaters (Sec 32, T3N, R76W) to Willow Creek Reservoir Road (Section 8, T2N, R76W).		Aq Life Cold 2 Recreation N Agriculture	T=TVS(CS-II)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=630/100ml	CN(ac)=0.2	S=0.002 B=0.75 NO_2=0.05 NO_3=100	As(ac)=340(dis) As(ch)=100 Cd(ch)=10 CrIII(ch)=100 CrVI(ch)=100	Cu(ac)=200 Pb(ch)=100 Mn(ch)=200 Ni(ac/ch)=200	Se(ch)=20 Zn(ch)=2000	All metals are Trec unless otherwise noted.

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION:12 BASIN: **Upper Colorado River** Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
6c. Mainstem of un-named tributary to Willow Creek from the Willow Creek Reservoir Rd (Sec. 8, T2N, R76W) to the confluence Willow Creek (Sec. 17, T2N, R76W).		Aq Life Cold 2 Recreation N Agriculture	T=TVS(CS-II)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=630/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=100	As(ac)=340 As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
7a. All tributaries to the Colorado River, including all wetlands, from a point immediately above the confluence with the Blue River and Muddy Creek to a point immediately below the confluence with the Roaring Fork River, which are not on National Forest lands, except for specific listings in Segment 7b, 7c and in the Blue River, Eagle River, and Roaring Fork River basins.		Aq Life Cold 1 Recreation N Water Supply Agriculture	T=TVS(CS-II)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=630/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
7b. Mainstem of Muddy Creek, including all tributaries and wetlands, from the outlet of Wolford Mountain Reservoir to the confluence with the Colorado River; mainstems of Rock Creek, Deep Creek, Sheephorn Creek, Sweetwater Creek and the Piney River, including all tributaries and wetlands, from their sources to their confluences with the Colorado River, which are not on National Forest lands.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
7c. Mainstem of Muddy Creek from the source to a point immediately below the confluence with Eastern Gulch as well as all tributaries to and wetlands of Muddy Creek from the source to the outlet of Wolford Mountain Reservoir, except for listings in Segment 4. The mainstems of Derby, Blacktail, Cabin, and Red Dirt Creeks (all below Wolford Mountain Reservoir), including all tributaries and wetlands, from their sources to their confluences with the Colorado River, except for listings in Segment 4.		Aq Life Cold 1 Recreation N Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=630/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
8. Mainstem of the Williams Fork River, including all tributaries and wetlands from the source to the confluence with the Colorado River, except for those tributaries listed in Segment 9.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100m	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS` Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	Point of compliance for Fe and Mn at Aspen Canyon Ranch well.
9. All tributaries to the Colorado and Fraser Rivers, including all wetlands, within the Never Summer, Indian Peaks, Byers, Vasquez, Eagles Nest and Flat Tops Wilderness Areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
10a. Mainstem of the Fraser River from the source to a point immediately below the Rendezvous Bridge. All tributaries to the Fraser River, including wetlands, from the source to the confluence with the Colorado River, except for those tributaries included in Segment 9.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac-340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
10b. Mainstem of the Fraser River from a point immediately below the Rendezvous Bridge to a point immediately below the Hammond Ditch.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION:12 BASIN: **Upper Colorado River**	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
Stream Segment Description			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
10c. Mainstem of the Fraser River from a point immediately below the Hammond Ditch to the confluence with the Colorado River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
11. All lakes and reservoirs within Rocky Mountain National Park and within the Never Summer, Indian Peaks, Byers, Vasquez, Eagles Nest and Flat Tops Wilderness Areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL,CLL)^{o}C D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
12. Lakes and reservoirs within Arapahoe National Recreation Area, including Grand Lake, Shadow Mountain Lake and Lake Granby.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL,CLL)^{o}C Shadow Mtn Res April-Dec $T_{(WAT)}$=19.30^{o}C Granby Res April-Dec $T_{(WAT)}$=19.42^{o}C D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	See * for narrative clarity standard. July through September Grand Lake Clarity =4 meter secchi disk depth, effective January 1, 2015.

*Narrative standard for Segment 12, Grand Lake: The highest level of clarity attainable, consistent with the exercise of established water rights and the protection of aquatic life.

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION:12 BASIN: **Blue River** Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
1. Mainstem of the Blue River from the source to Dillon Reservoir, except for specific listing in Segments 2a and 2b.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
2a. Mainstem of the Blue River from the confluence with French Gulch to a point one half mile below Summit County Road 3.	UP	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=4 CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=$e^{(1.25 (\ln(hard)+0.799))}$	
2b. Mainstem of the Blue River from a point one half mile below Summit County Road 3 to the confluence with the Swan River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=1/2$e^{(1.0166(\ln(hard)-3.132))}$ CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=$e^{(0.9805 (\ln(hard)+1.402))}$	
3. Dillon Reservoir and all lakes and reservoirs in the Blue River drainage above Dillon Reservoir, except for specific listings in Segment 21.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL,CLL)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Special standards for Dillon Reservoir only: Total Phosphorus as P=0.0074 mg/l in the top 15 meters of the water column for the months of July, August, September & October.
4a. All direct tributaries to Dillon Reservoir and all tributaries and wetlands in the Blue River drainage above Dillon Reservoir, except for specific listings in Segments 1, 2a, 2b, 4b, 5, 6, and 10-14.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
4b. North Fork of the Swan River, including all tributaries and wetlands, from the source to the confluence with the Swan River.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
5. Mainstem of Soda Creek from the source to Dillon Reservoir.		Aq Life Cold 1 Recreation E Agriculture Water Supply	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.0-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION:12 BASIN: **Blue River**	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
Stream Segment Description			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
6a. Mainstem of the Snake River, including all tributaries and wetlands from the source to Dillon Reservoir, except for specific listings in Segments 6b, 7, 8 and 9.	UP	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
6b. Mainstem of Camp Creek, River, including all tributaries and wetlands from the source to confluence with the Snake River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) zinc (acute) = $0.978*e^{0.8537(\ln Hardness)+1.5227}$ zinc (chronic) = $0.986*e^{0.8537(\ln Hardness)+1.3519}$	
7. Mainstem of Peru Creek, including all tributaries and wetlands from the source to the confluence with the Snake River, except for specific listing in Segment 8.	UP	Aq Life Cold 1 Recreation N	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=630/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 NO_2=0.05	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
8. Mainstem of Keystone Gulch, including all tributaries and wetlands from the source to the confluence with the Snake River. Mainstem of Chihuahua Creek including all tributaries, and wetlands from the source to the confluence with Peru Creek. Mainstem of the North Fork of the Snake River, including all tributaries and wetlands from the source to the confluence with the Snake River. Mainstem of Jones gulch, including all tributaries and wetlands from the source to the confluence with the Snake River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
9. Mainstem of Deer Creek, including all tributaries and wetlands from the source to the confluence with the Snake River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
10. Mainstem of French Gulch including all tributaries and wetlands from the source to a point 1.5 miles below Lincoln.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION:12 BASIN: **Blue River** Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
11. Mainstem of French Gulch from a point 1.5 miles below Lincoln to the confluence with the Blue River.	UP	Aq Life Cold 1 Recreation P Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac/ch)=existing quality CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac)=TVS	Cu(ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=existing quality Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=existing quality	
12. Mainstem of Illinois Gulch and Fredonia Gulch from their source to their confluence with the Blue River.		Aq Life Cold 2 Recreation P Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02-10(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
13. Mainstem of Tenmile Creek from the Climax Parshall Flume to a point immediately above the confluence of West Tenmile Creek and all tributaries and wetlands from the source of Tenmile Creek to a point immediately above the confluence with West Tenmile Creek, except for the specific listing in Segment 15.		Aq Life Cold 1 Recreation P Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
14. Mainstem of Tenmile Creek, including all tributaries and wetlands from a point immediately above the confluence with West Tenmile Creek to Dillon Reservoir, except for the specific listing in Segment 16.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
15. Mainstem of Clinton Creek from the source to the confluence with Tenmile Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
16. All tributaries to the Blue River, including all wetlands, within the Eagles Nest and Ptarmigan Peak Wilderness Areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
17. Mainstem of the Blue River from the outlet of Dillon Reservoir to the confluence with the Colorado River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
18. All tributaries to the Blue River, including all wetlands, from the outlet of Dillon Reservoir to the outlet of Green Mountain Reservoir, except for the specific listing in Segment 16.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION:12 BASIN: **Blue River**	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
Stream Segment Description			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
19. All tributaries to the Blue River, including all wetlands, from the outlet of Green Mountain Reservoir to the confluence with the Colorado River, except for specific listings in Segment 20.		Aq Life Cold 1 Recreation N Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=630/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
20. Mainstems of Elliot Creek and Spruce Creek including all tributaries and wetlands, from their sources to the confluence with the Blue River.		Aq Life Cold 1 Recreation N Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=630/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
21. All lakes and reservoirs within the Eagles Nest and Ptarmigan Peak Wilderness Areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL,CLL)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
22. All lakes and reservoirs reservoirs in the Blue River drainage below Dillon Reservoir, except for specific listings in Segment 21.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL,CLL)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION:12 BASIN: **Eagle River** Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
1. All tributaries and wetlands to the Eagle River system within the Gore Range - Eagles Nest and Holy Cross Wilderness Area.	OW[1]	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
	[1] Consistent with the provisions of section 25-8-104 C.R.S. the OW designation shall not apply with respect to the Homestake Water Project of the Cities of Aurora and Colorado Springs.								
2. Mainstem of The Eagle River from the source to the compressor house bridge at Belden.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l Ph=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
3. All tributaries to the Eagle River, including wetlands, from the source to the compressor house bridge at Belden, except for the specific listing in Segment 4 and those waters included in Segment 1.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
4. Mainstem of Homestake Creek from the confluence of the East Fork to the confluence with the Eagle River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
5a Mainstem of the Eagle River from a point immediately above the compressor house bridge at Belden to a point immediately above the Highway 24 Bridge near Tigiwon Road.	9/30/00 Baseline does not apply	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=(1.101672-[ln(hardness)*(0.041838)])*$e^{(0.7998\ [ln\ (hardness)]-3.1725)}$ CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac)=0.96*$e^{0.9801[ln(hardness)]-1.1073}$ Cu(ch)=0.96*$e^{0.5897[ln(hardness)]-0.0053}$	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac) = 0.978*$e^{0.8537[ln(hardness)]+2.1302}$ Zn(ch) = 0.986*$e^{0.8537[ln(hardness)]+1.9593}$	
5b. Mainstem of the Eagle River from a point immediately above the Highway 24 Bridge near Tigiwon Road to a point immediately above the confluence with Martin Creek.	9/30/00 Baseline does not apply	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=(1.101672-[ln(hardness)*(0.041838)])*$e^{(0.7998\ [ln\ (hardness)]-3.1725)}$ CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac) = 0.96*$e^{0.9801[ln(hardness)]-1.5865}$ Cu(ch) = 0.96*$e^{0.5897[ln(hardness)]-0.4845}$	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) **January 1 through April 30** Zn(ac) = 0.978*$e^{0.8537[ln(hardness)]+2.1302}$ Zn(ch) = 0.986*$e^{0.8537[ln(hardness)]+1.9593}$ **May 1 through December 31** Zn(ac) = 0.978*$e^{0.8537[ln(hardness)]+1.4189}$ Zn(ch) = 0.986*$e^{0.8537[ln(hardness)]+1.2481}$	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION:12 BASIN: **Eagle River**	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
Stream Segment Description			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
5c. Mainstem of the Eagle River from a point immediately above Martin Creek to a point immediately above the confluence with Gore Creek.	9/30/00 Baseline does not apply	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=(1.101672-[ln(hardness)*(0.041838)])*$e^{(0.7998\ [ln\ (hardness)]-3.1725)}$ CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac) = 0.96*$e^{0.9801[ln(hardness)]-1.5865}$ Cu(ch) = 0.96*$e^{0.5897[ln(hardness)]-0.4845}$	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac) = 0.978*$e^{0.8537[ln(hardness)]+1.4189}$ Zn(ch) = 0.986*$e^{0.8537[ln(hardness)]+1.2481}$	
6. All tributaries to the Eagle River, including all wetlands, from the compressor house bridge at Belden to a point immediately below the confluence with Lake Creek, except for the specific listings in Segments 1, 7a, 7b, and 8.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
7a. Mainstem of Cross Creek from the source to a point immediately below the Minturn Middle School, except for those waters included in Segment 1.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
7b. Mainstem of Cross Creek from a point immediately below the Minturn Middle School to the confluence with the Eagle River, except for those waters included in Segment 1.	9/30/00 Baseline does not apply	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=(1.101672-[ln(hardness)*(0.041838)])*$e^{(0.7998\ [ln\ (hardness)]-3.1725)}$ CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac) = 0.96*$e^{0.9801[ln(hardness)]-1.5865}$ Cu(ch) = 0.96*$e^{0.5897[ln(hardness)]-0.4845}$	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) **January 1 through April 30** Zn(ac) = 0.978*$e^{0.8537[ln(hardness)]+2.1302}$ Zn(ch) = 0.986*$e^{0.8537[ln(hardness)]+1.9593}$ **May 1 through December 31** Zn(ac) = 0.978*$e^{0.8537[ln(hardness)]+1.4189}$ Zn(ch) = 0.986*$e^{0.8537[ln(hardness)]+1.2481}$	
8. Mainstem of Gore Creek from the confluence with Black Gore Creek to the confluence with the Eagle River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	Temporary Modification: Temperature="existing quality" (Type iii) Expiration date of 12/31/2013
9a. Mainstem of the Eagle River from Gore Creek to a point immediately below the confluence with Rube Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary Modification: Temperature="existing quality" (Type iii) Expiration date of 12/31/2013

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION:12 BASIN: **Eagle River**	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
Stream Segment Description			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
9b. Mainstem of the Eagle River from a point immediately below the confluence with Rube Creek to the confluence with the Colorado River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
10a. All tributaries to the Eagle River, including all wetlands, from a point immediately below the confluence with Lake Creek to the confluence with the Colorado River, except for specific listings in Segments 10b, 11 and 12, and those waters included in Segment 1.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
10b. Abrams Creek, including all tributaries and wetlands, from the source to the eastern boundary of the United States Bureau of Land Management lands.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
11. Mainstem of Alkali Creek from the source to the confluence with the Eagle River; mainstem of Milk Creek from the source to the confluence with the Eagle River.		Aq Life Cold 2 Recreation P Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	CN(ac)=0.2	B=0.75 Cl=250 NO_2(ac)=10 NO_3(ac)=100	As(ac)=340 As(ch)=100(Trec) Be(ch)=100(Trec) Cd(ch)=10(Trec) CrIII(ch)=100(Trec)	CrVI(ch)=100(Trec) Cu(ch)=200(Trec) Pb(ch)=100(Trec) Mn(ch)=200(Trec)	Ni(ch)=200(Trec) Se(ac/ch)=TVS Zn(ch)=2000(Trec)	
12. Mainstem of Brush Creek, from the source to the confluence with the Eagle River, including the East and West Forks.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
13. All lakes and reservoirs within the Gore Range - Eagles Nest and Holy Cross Wilderness Areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL,CLL)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
14. All lakes and reservoirs tributary to the Eagle River except for specific listings in Segment 13.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL,CLL)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION:12 BASIN: **Roaring Fork River**	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
Stream Segment Description			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
1. All tributaries to the Roaring Fork River system, including all wetlands, within the Maroon Bells/Snowmass, Holy Cross, Raggeds, Collegiate Peaks and Hunter/Fryingpan Wilderness Areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
2. Mainstem of the Roaring Fork River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Hunter Creek, except for those tributaries included in Segment 1.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
3a. Mainstem of the Roaring Fork River, from a point immediately below the confluence with Hunter Creek, to a point immediately below the confluence with the Fryingpan River. All tributaries to the Roaring Fork River, including wetlands, from a point immediately below the confluence with Hunter Creek to the confluence with the Colorado River, except for those tributaries included in Segment 1 and specific listings in Segments 3b-10.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
3b. Mainstem of Red Canyon and all tributaries and wetlands from the source to the confluence with the Roaring Fork River, except for Landis Creek from its source to the Hopkins Ditch Diversion.		Aq Life Cold 2 Recreation N Water Supply Agriculture	T=TVS(CS-II)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02-10(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
3c. Mainstem of the Roaring Fork River, from a point immediately below the confluence with the Fryingpan River, to the confluence with the Colorado River. Mainstem of Three Mile Creek, including all tributaries and wetlands, from the source to the confluence with the Roaring Fork River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
4. Mainstem of Brush Creek from the source to the confluence with the Roaring Fork River.		Aq Life Cold 1 Recreation E Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
5. Mainstem of the Fryingpan River from the source to the confluence with the North Fork.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
6. Mainstem of the Fryingpan River from the confluence with the North Fork to the confluence with the Roaring Fork River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION:12 BASIN: **Roaring Fork River**	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
Stream Segment Description			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
7. All tributaries to the Fryingpan River, including all wetlands, except for those tributaries included in Segment 1.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
8. Mainstem of the Crystal River, including all tributaries and wetlands, from the source to the confluence with the Roaring Fork River, except for specific listings in Segments 1, 9 and 10.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
9. Mainstem of Coal Creek including all tributaries and wetlands from the source to the confluence with the Crystal River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
10. Mainstem of Thompson Creek including all tributaries and wetlands from the source to the confluence with the Crystal River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
11. All lakes and reservoirs within the Maroon Bells/Snowmass, Holy Cross, Raggeds, Collegiate Peaks and Hunter/Fryingpan Wilderness Areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL,CLL)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
12. All lakes and reservoirs tributary to the Roaring Fork River except for specific listings in Segment 11.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL,CLL)^{o}C Ruedi Res April-Dec $T_{(WAT)}$=20.33^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION:12 BASIN: **North Platte River** Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
1. All tributaries to the North Platte and Encampment Rivers, including all wetlands, within the Mount Zirkel, Never Summer, and Platte River Wilderness Areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
2. Mainstem of the Encampment River, including all tributaries and wetlands, from the source to the Colorado/Wyoming border, except for those tributaries included in Segment 1.		Aq Life Cold 1 Recreation P Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
3. Mainstem of the North Platte River from the confluence of Grizzly Creek and Little Grizzly Creek to the Colorado/Wyoming border.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
4a. All tributaries to the North Platte River system, including all wetlands, except for those tributaries included in Segment 1, and specific listings in Segments 4b, 6, 7a and 7b.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Mn(ch)=WS Mn(ac/ch)=TVS Pb(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
4b. Mainstem of the Illinois River, including all tributaries and wetlands, from a point immediately below the confluence with Indian Creek to the confluence with the Michigan River except for specific listings in Segments 7a and 7b. Mainstem of the Canadian River below 12E Road to the confluence with the North Platte River. All tributaries which enter the mainstem of the Canadian River from the southwest side of the mainstem.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Mn(ch)=WS Mn(ac/ch)=TVS Pb(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
5a. Mainstem of the Michigan River from the source to a point immediately below the confluence with the North Fork Michigan River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Mn(ch)=WS Mn(ac/ch)=TVS Pb(ac/ch)=TVS	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
5b. Mainstem of the Michigan River from a point immediately below the confluence with the North Fork Michigan River to the confluence with the North Platte River.		Aq Life Cold 1 Recreation N Water Supply Agriculture	T=TVS(CS-II)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=630/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Mn(ch)=WS Mn(ac/ch)=TVS Pb(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
6. Mainstem of Pinkham Creek from the Routt National Forest boundary to the confluence with the North Platte River.		Aq Life Cold 1 Recreation N Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=630/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION:12 BASIN: **North Platte River**	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
Stream Segment Description			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
7a. Mainstem of Government Creek from the boundary of the Colorado State Forest to the confluence with the Canadian River. Mainstem of Spring Creek from the source to the outlet of Spring Creek (Number 31) Reservoir.		Aq Life Cold 2 Recreation N Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=630/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Fish Ingestion
7b. Mainstem of Spring Creek from the outlet of Spring Creek (Number 31) Reservoir to the confluence with the Illinois River.		Aq Life Cold 2 Recreation N Agriculture	T=TVS(CS-II)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=630/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Fish Ingestion
8. All lakes and reservoirs within the Mount Zirkel, Never Summer, and Platte River Wilderness Areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL,CLL)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
9. All lakes and reservoirs tributary to the North Platte and Encampment Rivers except for specific listings in Segment 8.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL,CLL)^{o}C Lake John April-Dec $T_{(WAT)}$=20.77^{o}C North Delaney Lake April-Dec $T_{(WAT)}$=20.14^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION:12 BASIN: **Yampa River** Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
1a. All tributaries to the Yampa River, including all wetlands, which are within the Mount Zirkel, Flat Tops and Sarvis Creek Wilderness Areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
1b. All lakes and reservoirs which are within the Mount Zirkel, Flat Tops and Sarvis Creek Wilderness Areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL,CLL)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
2a. Mainstem of the Yampa River from the confluence with Wheeler Creek to a point immediately above the confluence with Oak Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
2b. All lakes and reservoirs tributary to the Yampa River from the source to the confluence with Elkhead Creek, except for those listed in Segment 1b. All lakes and reservoirs tributary to Elkhead Creek from the source to the confluence with the Yampa River. All lakes and reservoirs tributary to the Little Snake River, including those on National Forest lands.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL,CLL)°C Stagecoach Res April-Dec $T_{(WAT)}$=21.40°C Steamboat Res April-Dec $T_{(WAT)}$=21.60°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
2c. Mainstem of the Yampa River from a point immediately above the confluence with Oak Creek to a point immediately below the confluence with Elkhead Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
3. All tributaries to the Yampa River, including all wetlands, from the source to the confluence with Elk River, except for specific listings in Segments 4-8, 13a-f and 19. Mainstem of the Bear River, including all tributaries and wetlands from the boundary of the Flat Tops Wilderness Area to the confluence with the Yampa River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
4. Mainstem of Little White Snake Creek from the source to the confluence with the Yampa River.		Aq Life Cold 2 Recreation N Water Supply Agriculture	T=TVS(CS-II)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=630/100ml	CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340(dis) As(ch)=0.02-10(Trec) Cd(ac)=5 CrIII(ac)=50 CrVI(ac)=50 Cu(ch)=200	Fe(ch)=WS(dis) Pb(ac)=50 Mn(ch)=WS Mn(ac/ch)=TVS Hg(ac)=2.0	Ni(ch)=100 Se(ch)=20 Ag(ac)=100 Zn(ac/ch)=2000	All metals are Trec unless otherwise noted.
5. Mainstem of Chimney Creek, including all tributaries and wetlands, which are not on National Forest lands, from the source to the confluence with the Yampa River.		Aq Life Cold 1 Recreation P Agriculture	T=TVS(CS-I)°C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION:12 BASIN: **Yampa River** Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
6. Mainstem of Oak Creek, including all tributaries and wetlands, from the source to the point of discharge of the Oak Creek wastewater treatment plant.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
7. Mainstem of Oak Creek, including all tributaries and wetlands, from the point of discharge of the Oak Creek wastewater treatment plant to the confluence with the Yampa River.		Aq Life Cold 1 Recreation P Agriculture	T=TVS(CS-II)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
8. Mainstem of the Elk River including, all tributaries and wetlands, from the source to the confluence with the Yampa River, except for those tributaries included in Segment 1 and 20.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
9. Deleted.									
10. Deleted.									
11. Fish Creek, including all tributaries and wetlands, from the source to County Road 27, except for specific listings in Segment 20.		Aq Life Cold 2 Recreation N Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=630/100ml	CN(ac)=0.2	S=0.002 B=0.75 NO_2=0.05 NO_3=100	As(ac)=340(dis) As(ch)=100 Cd(ch)=10 CrIII(ch)=100 CrVI(ch)=100 Cu(ac)=200	Pb(ch)=100 Mn(ch)=200 Ni(ch)=200	Se(ch)=20 Zn(ch)=2000	All metals are Trec unless otherwise noted.
12. All tributaries to the Yampa River, including all wetlands, from the confluence with the Elk River to the confluence with Elkhead Creek, which are not on National Forest lands, except for specific listings in Segments 11 and 13a-f.		Aq Life Cold 2 Recreation N Agriculture	T=TVS(CS-II)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=630/100ml	CN(ac)=0.2	S=0.002 B=0.75 NO_2=0.05 NO_3=100	As(ac)=340(dis) As(ch)=100 Cd(ch)=10 CrIII(ch)=100 CrVI(ch)=100 Cu(ac)=200	Pb(ch)=100 Mn(ch)=200 Ni(ch)=200	Se(ch)=20 Zn(ch)=2000	All metals are Trec unless otherwise noted.
13a. Mainstem of Trout Creek, including all tributaries and wetlands, from the source to the confluence with the Yampa River, which are not on National Forest lands, except for specific listings in Segments 13b, 13c and 13f.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
13b. Mainstem of Foidel Creek, including all tributaries and wetlands. Mainstem Fish Creek, including all tributaries from County Road 27 downstream to the confluence with Trout Creek. Middle Creek and all tributaries, from County Road 27 downstream to the confluence with Trout Creek.		Aq Life Cold 1 Recreation E Agriculture	T=TVS(CS-II)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Middle Creek Fe(ch)=1035(Trec) Pb(ac/ch)=TVS	Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
13c. Mainstem of Trout Creek from the headgate of Spruce Hill Ditch (approximately 2,500 feet north of where County Road 27 crosses Trout Creek) to its confluence with Fish Creek. All tributaries to Trout Creek from the headgate of Spruce Hill Ditch (approximately 2,500 feet north of where County Road 27 crosses Trout Creek) to County Road 179 except for specific listings in 13b.		Aq Life Cold 1 Recreation E Agriculture **June through February** Water Supply	T=TVS(CS-II)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=100 **June through February** NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS **June through February** As(ch)=0.02(Trec) CrIII(ac)=50(Trec)	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) **June through February** Fe(ch)=WS(dis) Mn(ch)=WS	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION:12 BASIN: **Yampa River** Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
13d. Mainstem of Dry Creek, including all tributaries and wetlands, from the source to the confluence with the Yampa River near Hayden.	UP	Aq Life Warm 2 Recreation E Agriculture	T=TVS(WS-II)^{o}C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=100	As(ac)=340 As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Mar-Apr Fe(ch)=3040(Trec) May-Feb Fe(ch)=1110(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	See section 33.6(4) for iron assessment locations.
13e. Mainstems of Sage Creek and Grassy Creek, including all tributaries and wetlands, from their sources to the confluence with the Yampa River.	UP	Aq Life Warm 2 Recreation N Agriculture	T=TVS(WS-II)^{o}C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=630/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=100	As(ac)=340 As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Upper Sage Creek Fe(ch)=1250 Lower Sage Creek Fe(ch)=1000(Trec) Grassy Creek Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Temporary modification. Fe(ch): "existing quality" (Type iii) for Grassy Creek. Expiration date of 12/31/2013. Break between Upper and Lower Sage Creek is the west border of Section 18, T5N, R87W. See section 33.6(4) for iron assessment locations.
13f. Mainstem of Trout Creek, including all tributaries and wetlands, from a point immediately below its confluence with Fish Creek to the confluence with the Yampa River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
14. Mainstem of Elkhead Creek, including all tributaries and wetlands, from the boundary of the National Forest lands, to a point immediately below the confluence with Calf Creek and below 80A Road on the Dry Fork of Elkhead Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
15. Mainstem of Elkhead Creek, including all tributaries and wetlands, from a point immediately below the confluence with Calf Creek and below 80A Road on the Dry Fork of Elkhead Creek, to the confluence with the Yampa River.		Aq Life Warm 1 Recreation E Water Supply Agriculture	T=TVS(WS-II)^{o}C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
16. Deleted									
17. Deleted.									
18. Mainstem of the Little Snake River, including all tributaries and wetlands, from the Routt National Forest boundary to the Colorado/Wyoming border		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	
19. All tributaries to the Little Snake River, including all wetlands, which are on National Forest lands in Routt County.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch) Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS(sc)	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION:12 BASIN: **Yampa River**	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
Stream Segment Description			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
20a. All tributaries to the Yampa River, including wetlands, above the confluence with Elkhead Creek that are within National Forest boundaries, except for specific listings in segment 20b.		Aq Life Cold 1 Recreation U Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
20b. Mainstem of First Creek from the eastern boundary of state lands in California Park to the confluence with Elkhead Creek. Mainstem of Elkhead Creek from the eastern boundary of state lands in California Park to the National Forest boundary.		Aq Life Cold 1 Recreation N Water Supply Agriculture	T=TVS(CS-I)^{o}C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=630/100ml	NH_3(ac/ch)=TVS Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	