

**THREATENED, ENDANGERED, CANDIDATE,
AND PROPOSED SPECIES BY COUNTY
February 2012**

Symbols:

- * Water depletions in the Upper Colorado River and San Juan River Basins, may affect the species and/or critical habitat in downstream reaches in other states.
- ▲ Water depletions in the North Platte, South Platte and Laramie River Basins may affect the species and/or critical habitat associated with the Platte River in Nebraska.
- © There is designated critical habitat for the species within the county.
- # Recent genetic tests identified cutthroat population as GB lineage, therefore, consultation is an interim measure until genetic and taxonomic issues are resolved.
- § This applies only to white-tailed or Gunnison's prairie dog habitats. All black-tailed prairie dog habitats within Colorado have been block-cleared from the requirements of ferret surveys.
- T Threatened
- E Endangered
- P Proposed
- X Experimental
- C Candidate

*For additional information contact: U.S. Fish and Wildlife Service, Colorado Field Office, PO Box 25486 DFC (MS 65412), Denver, Colorado 80225-0486, telephone 303-236-4773
U.S. Fish and Wildlife Service, Western Colorado Field Office, 764 Horizon Drive, Building B, Grand Junction, Colorado 81506, telephone 970-243-2778*

| Species | Scientific Name | Status |
|-----------------------------------|---|---------------|
| ADAMS | | |
| Least Tern (interior population)▲ | <i>Sternula antillarum</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Piping Plover▲ | <i>Charadrius melodus</i> | T |
| Preble's meadow jumping mouse | <i>Zapus hudsonius preblei</i> | T |
| Ute ladies'-tresses orchid | <i>Spiranthes diluvialis</i> | T |
| Western prairie fringed orchid▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane▲ | <i>Grus americana</i> | E |
| Colorado butterfly plant | <i>Gaura neomexicana</i> var. <i>coloradensis</i> | Y |
| ALAMOSA | | |
| Black-footed ferret | <i>Mustela nigripes</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Rio Grande cutthroat trout | <i>Oncorhynchus clarki virginalis</i> | C |
| Southwestern Willow Flycatcher | <i>Empidonax traillii extimus</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

ARAPAHOE

| | | |
|-----------------------------------|----------------------------------|---|
| Least Tern (interior population)▲ | <i>Sternula antillarum</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Piping Plover▲ | <i>Charadrius melodus</i> | T |
| Preble's meadow jumping mouse | <i>Zapus hudsonius preblei</i> | T |
| Ute ladies'-tresses orchid | <i>Spiranthes diluvialis</i> | T |
| Western prairie fringed orchid▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane▲ | <i>Grus americana</i> | E |

ARCHULETA

| | | |
|----------------------------------|---------------------------------------|---|
| Black-footed ferret | <i>Mustela nigripes</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Knowlton's cactus | <i>Pediocactus knowtonii</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| New Mexico meadow jumping mouse | <i>Zapus hudsonius luteus</i> | C |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Pagosa skyrocket | <i>Ipomopsis polyantha</i> | E |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| Rio Grande cutthroat trout | <i>Oncorhynchus clarki virginalis</i> | C |
| Southwestern Willow Flycatcher | <i>Empidonax traillii extimus</i> | E |
| Uncompahgre fritillary butterfly | <i>Boloria acrocneema</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

BACA

| | | |
|------------------------|-----------------------------------|---|
| Arkansas darter | <i>Etheostoma cragini</i> | C |
| Lesser Prairie Chicken | <i>Tympanuchus pallidicinctus</i> | C |

BENT

| | | |
|----------------------------------|-----------------------------------|---|
| Arkansas darter | <i>Etheostoma cragini</i> | C |
| Least Tern (interior population) | <i>Sternula antillarum</i> | E |
| Lesser Prairie Chicken | <i>Tympanuchus pallidicinctus</i> | C |
| Piping Plover | <i>Charadrius melodus</i> | T |

BOULDER

| | | |
|-----------------------------------|---|---|
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado butterfly plant | <i>Gaura neomexicana</i> spp. <i>coloradensis</i> | T |
| Greenback cutthroat trout | <i>Oncorhynchus clarki stomias</i> | T |
| Least Tern (interior population)▲ | <i>Sternula antillarum</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Piping Plover▲ | <i>Charadrius melodus</i> | T |
| Preble's meadow jumping mouse | <i>Zapus hudsonius preblei</i> | T |

| | | |
|----------------------------------|------------------------------|---|
| Ute ladies'-tresses orchid | <i>Spiranthes diluvialis</i> | T |
| Western prairie fringed orchid ▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane ▲ | <i>Grus americana</i> | E |

BROOMFIELD

| | | |
|------------------------------------|---|---|
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado butterfly plant | <i>Gaura neomexicana</i> spp. <i>coloradensis</i> | T |
| Greenback cutthroat trout | <i>Oncorhynchus clarki stomias</i> | T |
| Least Tern (interior population) ▲ | <i>Sternula antillarum</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Pallid sturgeon ▲ | <i>Scaphirhynchus albus</i> | E |
| Piping Plover ▲ | <i>Charadrius melodus</i> | T |
| Preble's meadow jumping mouse | <i>Zapus hudsonius preblei</i> | T |
| Ute ladies'-tresses orchid | <i>Spiranthes diluvialis</i> | T |
| Western prairie fringed orchid ▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane ▲ | <i>Grus americana</i> | E |

CHAFFEE

| | | |
|----------------------------------|----------------------------------|---|
| Canada lynx | <i>Lynx canadensis</i> | T |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |
| Gunnison Sage Grouse | <i>Centrocercus minimus</i> | C |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Uncompahgre fritillary butterfly | <i>Boloria acrocnema</i> | E |

CHEYENNE

| | | |
|------------------------|-----------------------------------|---|
| Arkansas darter | <i>Etheostoma cragini</i> | C |
| Lesser Prairie Chicken | <i>Tympanuchus pallidicinctus</i> | C |

CLEAR CREEK

| | | |
|------------------------------------|------------------------------------|---|
| Canada lynx | <i>Lynx canadensis</i> | T |
| Greenback cutthroat trout | <i>Oncorhynchus clarki stomias</i> | T |
| Least Tern (interior population) ▲ | <i>Sternula antillarum</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Pallid sturgeon ▲ | <i>Scaphirhynchus albus</i> | E |
| Piping Plover ▲ | <i>Charadrius melodus</i> | T |
| Western prairie fringed orchid ▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane ▲ | <i>Grus americana</i> | E |

CONEJOS

| | | |
|------------------------|-----------------------------|---|
| Black-footed ferret | <i>Mustela nigripes</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Gunnison Sage Grouse | <i>Centrocercus minimus</i> | C |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |

| | | |
|---------------------------------|---------------------------------------|---|
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| New Mexico meadow jumping mouse | <i>Zapus hudsonius luteus</i> | C |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Rio Grande cutthroat trout | <i>Oncorhynchus clarki virginalis</i> | C |
| Southwestern Willow Flycatcher | <i>Empidonax traillii extimus</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

COSTILLA

| | | |
|---------------------------------|---------------------------------------|---|
| Black-footed ferret | <i>Mustela nigripes</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Gunnison Sage Grouse | <i>Centrocercus minimus</i> | C |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| Mountain Plover | <i>Charadrius montanus</i> | P |
| New Mexico meadow jumping mouse | <i>Zapus hudsonius luteus</i> | C |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Rio Grande cutthroat trout | <i>Oncorhynchus clarki virginalis</i> | C |
| Southwestern Willow Flycatcher | <i>Empidonax traillii extimus</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

CROWLEY

| | | |
|----------------------------------|-----------------------------------|---|
| Arkansas darter | <i>Etheostoma cragini</i> | C |
| Least Tern (interior population) | <i>Sternula antillarum</i> | E |
| Lesser Prairie Chicken | <i>Tympanuchus pallidicinctus</i> | C |
| Piping Plover | <i>Charadrius melodus</i> | T |

CUSTER

| | | |
|---------------------------|------------------------------------|---|
| Canada lynx | <i>Lynx canadensis</i> | T |
| Greenback cutthroat trout | <i>Oncorhynchus clarki stomias</i> | T |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |

DELTA

| | | |
|-----------------------------|------------------------------------|---|
| Black-footed ferret | <i>Mustela nigripes</i> | E |
| Bonytail chub | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Clay-loving wild buckwheat© | <i>Eriogonum pelinophilum</i> | E |
| Colorado hookless cactus | <i>Sclerocactus glaucus</i> | T |
| Colorado pikeminnow© | <i>Ptychocheilus lucius</i> | E |
| Greenback cutthroat trout# | <i>Oncorhynchus clarki stomias</i> | T |
| Gunnison Sage Grouse | <i>Centrocercus minimus</i> | C |
| Humpback chub | <i>Gila cypha</i> | E |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Razorback sucker© | <i>Xyrauchen texanus</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

DENVER

| | | |
|------------------------------------|--------------------------------|---|
| Least Tern (interior population) ▲ | <i>Sternula antillarum</i> | E |
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Piping Plover▲ | <i>Charadrius melodus</i> | T |
| Preble's meadow jumping mouse | <i>Zapus hudsonius preblei</i> | T |
| Ute ladies'-tresses orchid | <i>Spiranthes diluvialis</i> | T |
| Western prairie fringed orchid▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane▲ | <i>Grus americana</i> | E |

DOLORES

| | | |
|----------------------------------|-----------------------------------|---|
| Bonytail chub* | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Gunnison Sage Grouse | <i>Centrocercus minimus</i> | C |
| Humpback chub* | <i>Gila cypha</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| Southwestern Willow Flycatcher | <i>Empidonax traillii extimus</i> | E |
| Uncompahgre fritillary butterfly | <i>Boloria acrocnema</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

DOUGLAS

| | | |
|-----------------------------------|---|---|
| Colorado butterfly plant | <i>Gaura neomexicana</i> spp. <i>coloradensis</i> | T |
| Greenback cutthroat trout | <i>Oncorhynchus clarki stomias</i> | T |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |
| Least Tern (interior population)▲ | <i>Sternula antillarum</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Pawnee montane skipper | <i>Hesperia leonardus montana</i> | T |
| Piping Plover▲ | <i>Charadrius melodus</i> | T |
| Preble's meadow jumping mouse© | <i>Zapus hudsonius preblei</i> | T |
| Ute ladies'-tresses orchid | <i>Spiranthes diluvialis</i> | T |
| Western prairie fringed orchid▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane▲ | <i>Grus americana</i> | E |

EAGLE

| | | |
|----------------------------|------------------------------------|---|
| Bonytail chub* | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Greater Sage-grouse | <i>Centrocercus urophasianus</i> | C |
| Greenback cutthroat trout# | <i>Oncorhynchus clarki stomias</i> | T |
| Humpback chub* | <i>Gila cypha</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |

| | | |
|----------------------------------|------------------------------|---|
| Penland alpine fen mustard | <i>Eutrema penlandii</i> | T |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| Uncompahgre fritillary butterfly | <i>Boloria acrocnema</i> | E |
| Ute ladies' -tresses orchid | <i>Spiranthes diluvialis</i> | T |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

ELBERT

| | | |
|------------------------------------|--------------------------------|---|
| Arkansas darter | <i>Etheostoma cragini</i> | C |
| Least Tern (interior population) ▲ | <i>Sternula antillarum</i> | E |
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Piping Plover▲ | <i>Charadrius melodus</i> | T |
| Preble's meadow jumping mouse | <i>Zapus hudsonius preblei</i> | T |
| Western prairie fringed orchid▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane▲ | <i>Grus americana</i> | E |

EL PASO

| | | |
|------------------------------------|------------------------------------|---|
| Arkansas darter | <i>Etheostoma cragini</i> | C |
| Greenback cutthroat trout | <i>Oncorhynchus clarki stomias</i> | T |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |
| Least Tern (interior population) ▲ | <i>Sternula antillarum</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Pawnee montane skipper | <i>Hesperia leonardus montana</i> | T |
| Piping Plover▲ | <i>Charadrius melodus</i> | T |
| Preble's meadow jumping mouse | <i>Zapus hudsonius preblei</i> | T |
| Ute ladies' -tresses orchid | <i>Spiranthes diluvialis</i> | T |
| Western prairie fringed orchid▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane▲ | <i>Grus americana</i> | E |

FREMONT

| | | |
|--------------------------|----------------------------------|---|
| Arkansas darter | <i>Etheostoma cragini</i> | C |
| Black-footed ferret § | <i>Mustela nigripes</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |

GARFIELD

| | | |
|----------------------------|------------------------------------|---|
| Bonytail chub | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado hookless cactus | <i>Sclerocactus glaucus</i> | T |
| Colorado pikeminnow© | <i>Ptychocheilus lucius</i> | E |
| De Beque phacelia | <i>Phacelia submutica</i> | T |
| Greater Sage-grouse | <i>Centrocercus urophasianus</i> | C |
| Greenback cutthroat trout# | <i>Oncorhynchus clarki stomias</i> | T |

| | | |
|----------------------------|----------------------------------|---|
| Humpback chub | <i>Gila cypha</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Parachute beardtongue | <i>Penstemon debilis</i> | T |
| Razorback sucker© | <i>Xyrauchen texanus</i> | E |
| Ute ladies'-tresses orchid | <i>Spiranthes diluvialis</i> | T |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

GILPIN

| | | |
|------------------------------------|----------------------------------|---|
| Canada lynx | <i>Lynx canadensis</i> | T |
| Least Tern (interior population) ▲ | <i>Sternula antillarum</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Piping Plover▲ | <i>Charadrius melodus</i> | T |
| Western prairie fringed orchid▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane▲ | <i>Grus americana</i> | E |

GRAND

| | | |
|----------------------------------|------------------------------------|---|
| Bonytail chub* | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Greater Sage-grouse | <i>Centrocercus urophasianus</i> | C |
| Greenback cutthroat trout# | <i>Oncorhynchus clarki stomias</i> | T |
| Humpback chub* | <i>Gila cypha</i> | E |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Osterhout milkvetch | <i>Astragalus osterhoutii</i> | E |
| Penland beardtongue | <i>Penstemon penlandii</i> | E |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| Uncompahgre fritillary butterfly | <i>Boloria acrocnema</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

GUNNISON

| | | |
|----------------------------------|------------------------------------|---|
| Bonytail chub* | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado hookless cactus | <i>Sclerocactus glaucus</i> | T |
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Greenback cutthroat trout# | <i>Oncorhynchus clarki stomias</i> | T |
| Gunnison sage-grouse | <i>Centrocercus minimus</i> | C |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |
| Humpback chub* | <i>Gila cypha</i> | E |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| Skiff milkvetch | <i>Astragalus microcymbus</i> | C |
| Uncompahgre fritillary butterfly | <i>Boloria acrocnema</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

HINSDALE

| | | |
|----------------------------------|---------------------------------------|---|
| Bonytail chub* | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Gunnison sage-grouse | <i>Centrocercus minimus</i> | C |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |
| Humpback chub* | <i>Gila cypha</i> | E |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Pagosa skyrocket | <i>Ipomopsis polyantha</i> | E |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| Rio Grande cutthroat trout | <i>Oncorhynchus clarki virginalis</i> | C |
| Southwestern Willow Flycatcher | <i>Empidonax traillii extimus</i> | E |
| Uncompahgre fritillary butterfly | <i>Boloria acrocnema</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

HUERFANO

| | | |
|---------------------------|------------------------------------|---|
| Arkansas darter | <i>Etheostoma cragini</i> | C |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Greenback cutthroat trout | <i>Oncorhynchus clarki stomias</i> | T |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |

JACKSON

| | | |
|-----------------------------------|----------------------------------|---|
| Bonytail chub* | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Greater Sage-grouse | <i>Centrocercus urophasianus</i> | C |
| Humpback chub* | <i>Gila cypha</i> | E |
| Least Tern (interior population)▲ | <i>Sternula antillarum</i> | E |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| North Park phacelia | <i>Phacelia formosula</i> | E |
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Piping Plover▲ | <i>Charadrius melodus</i> | T |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| Western prairie fringed orchid▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane▲ | <i>Grus americana</i> | E |

JEFFERSON

| | | |
|-----------------------------------|---|---|
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado butterfly plant | <i>Gaura neomexicana</i> spp. <i>coloradensis</i> | T |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |
| Least Tern (interior population)▲ | <i>Sternula antillarum</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |

| | | |
|---------------------------------|-----------------------------------|---|
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Pawnee montane skipper | <i>Hesperia leonardus montana</i> | T |
| Piping Plover▲ | <i>Charadrius melodus</i> | T |
| Preble's meadow jumping mouse© | <i>Zapus hudsonius preblei</i> | T |
| Ute ladies'-tresses orchid | <i>Spiranthes diluvialis</i> | T |
| Western prairie fringed orchid▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane▲ | <i>Grus americana</i> | E |

KIOWA

| | | |
|----------------------------------|-----------------------------------|---|
| Arkansas darter | <i>Etheostoma cragini</i> | C |
| Least Tern (interior population) | <i>Sternula antillarum</i> | E |
| Lesser Prairie Chicken | <i>Tympanuchus pallidicinctus</i> | C |
| Piping Plover | <i>Charadrius melodus</i> | T |

KIT CARSON

None

LAKE

| | | |
|----------------------------------|------------------------------------|---|
| Canada lynx | <i>Lynx canadensis</i> | T |
| Greenback cutthroat trout | <i>Oncorhynchus clarki stomias</i> | T |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |
| Penland alpine fen mustard | <i>Eutrema penlandii</i> | T |
| Uncompahgre fritillary butterfly | <i>Boloria acrocnema</i> | E |

LA PLATA

| | | |
|----------------------------------|-----------------------------------|---|
| Black-footed ferret | <i>Mustela nigripes</i> | E |
| Bonytail chub* | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Humpback chub* | <i>Gila cypha</i> | E |
| Knowlton cactus | <i>Pediocactus knowltonii</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| New Mexico meadow jumping mouse | <i>Zapus hudsonius luteus</i> | C |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| Schmoll milkvetch | <i>Astragalus schmolliae</i> | C |
| Southwestern Willow Flycatcher | <i>Empidonax traillii extimus</i> | E |
| Uncompahgre fritillary butterfly | <i>Boloria acrocnema</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

LARIMER

| | | |
|---------------------------|---|---|
| Black-footed ferret § | <i>Mustela nigripes</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado butterfly plant | <i>Gaura neomexicana</i> spp. <i>coloradensis</i> | T |
| Greater Sage-grouse | <i>Centrocercus urophasianus</i> | C |
| Greenback cutthroat trout | <i>Oncorhynchus clarki stomias</i> | T |

| | | |
|-----------------------------------|----------------------------------|---|
| Least Tern (interior population)▲ | <i>Sternula antillarum</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| North Park phacelia | <i>Phacelia formosula</i> | E |
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Piping Plover▲ | <i>Charadrius melodus</i> | T |
| Preble's meadow jumping mouse© | <i>Zapus hudsonius preblei</i> | T |
| Ute ladies'-tresses orchid | <i>Spiranthes diluvialis</i> | T |
| Western prairie fringed orchid▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane▲ | <i>Grus americana</i> | E |

LAS ANIMAS

| | | |
|---------------------------------|----------------------------------|---|
| Arkansas darter | <i>Etheostoma cragini</i> | C |
| Black-footed ferret § | <i>Mustela nigripes</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| New Mexico meadow jumping mouse | <i>Zapus hudsonius luteus</i> | C |

LINCOLN

| | | |
|-----------------------------------|-----------------------------------|---|
| Arkansas darter | <i>Etheostoma cragini</i> | C |
| Least Tern (interior population)▲ | <i>Sternula antillarum</i> | E |
| Lesser Prairie Chicken | <i>Tympanuchus pallidicinctus</i> | C |
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Piping Plover▲ | <i>Charadrius melodus</i> | T |
| Western prairie fringed orchid▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane▲ | <i>Grus americana</i> | E |

LOGAN

| | | |
|-----------------------------------|------------------------------|---|
| Least Tern (interior population)▲ | <i>Sternula antillarum</i> | E |
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Piping Plover | <i>Charadrius melodus</i> | T |
| Western prairie fringed orchid▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane▲ | <i>Grus americana</i> | E |

MESA

| | | |
|----------------------------|------------------------------------|---|
| Bonytail chub© | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado hookless cactus | <i>Sclerocactus glaucus</i> | T |
| Colorado pikeminnow© | <i>Ptychocheilus lucius</i> | E |
| De Beque phacelia | <i>Phacelia submutica</i> | T |
| Greenback cutthroat trout# | <i>Oncorhynchus clarki stomias</i> | T |
| Gunnison Sage Grouse | <i>Centrocercus minimus</i> | C |
| Humpback chub© | <i>Gila cypha</i> | E |
| North American wolverine | <i>Gulo gulo luscus</i> | C |

| | | |
|----------------------|----------------------------|---|
| Razorback sucker© | <i>Xyrauchen texanus</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

MINERAL

| | | |
|----------------------------------|---------------------------------------|---|
| Bonytail chub* | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |
| Humpback chub* | <i>Gila cypha</i> | E |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Rio Grande cutthroat trout | <i>Oncorhynchus clarki virginalis</i> | C |
| Southwestern Willow Flycatcher | <i>Empidonax traillii extimus</i> | E |
| Uncompahgre fritillary butterfly | <i>Boloria acrocnema</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

MOFFAT

| | | |
|---|----------------------------------|---|
| Black-footed ferret | <i>Mustela nigripes</i> | E |
| Bonytail chub© | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado pikeminnow© | <i>Ptychocheilus lucius</i> | E |
| Greater Sage-grouse | <i>Centrocercus urophasianus</i> | C |
| Humpback chub© | <i>Gila cypha</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Razorback sucker© | <i>Xyrauchen texanus</i> | E |
| Ute ladies'-tresses orchid (Yampa River floodplain) | <i>Spiranthes diluvialis</i> | T |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

MONTEZUMA

| | | |
|---------------------------------|------------------------------------|---|
| Black-footed ferret | <i>Mustela nigripes</i> | E |
| Bonytail chub* | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Greenback cutthroat trout# | <i>Oncorhynchus clarki stomias</i> | T |
| Gunnison Sage Grouse | <i>Centrocercus minimus</i> | C |
| Humpback chub© | <i>Gila cypha</i> | E |
| Mancos milkvetch | <i>Astragalus humillimus</i> | E |
| Mesa Verde cactus | <i>Sclerocactus mesae-verdae</i> | T |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| New Mexico meadow jumping mouse | <i>Zapus hudsonius luteus</i> | C |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| Schmoll milkvetch | <i>Astragalus schmolliae</i> | C |
| Sleeping Ute milkvetch | <i>Astragalus tortipes</i> | C |

| | | |
|--------------------------------|-----------------------------------|---|
| Southwestern Willow Flycatcher | <i>Empidonax traillii extimus</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

MONTROSE

| | | |
|----------------------------|---|---|
| Black-footed ferret | <i>Mustela nigripes</i> | E |
| Bonytail chub* | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Clay-loving wild buckwheat | <i>Eriogonum pelinophilum</i> | E |
| Colorado hookless cactus | <i>Sclerocactus glaucus</i> | T |
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Greenback cutthroat trout | <i>Oncorhynchus clarki ssp. stomias</i> | T |
| Gunnison Sage Grouse | <i>Centrocercus minimus</i> | C |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |
| Humpback chub* | <i>Gila cypha</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

MORGAN

| | | |
|----------------------------------|--------------------------------|---|
| Least Tern (interior population) | <i>Sternula antillarum</i> | E |
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Piping Plover | <i>Charadrius melodus</i> | T |
| Preble's meadow jumping mouse | <i>Zapus hudsonius preblei</i> | T |
| Ute ladies'-tresses orchid | <i>Spiranthes diluvialis</i> | T |
| Western prairie fringed orchid▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane▲ | <i>Grus americana</i> | E |

OTERO

| | | |
|----------------------------------|----------------------------|---|
| Arkansas darter | <i>Etheostoma cragini</i> | C |
| Least Tern (interior population) | <i>Sternula antillarum</i> | E |
| Piping Plover | <i>Charadrius melodus</i> | T |

OURAY

| | | |
|----------------------------------|------------------------------------|---|
| Bonytail chub* | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado hookless cactus | <i>Sclerocactus glaucus</i> | T |
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Greenback cutthroat trout# | <i>Oncorhynchus clarki stomias</i> | T |
| Gunnison Sage Grouse | <i>Centrocercus minimus</i> | C |
| Humpback chub* | <i>Gila cypha</i> | E |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| Southwestern Willow Flycatcher | <i>Empidonax traillii extimus</i> | E |
| Uncompahgre fritillary butterfly | <i>Boloria acrocnema</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

PARK

| | | |
|-----------------------------------|------------------------------------|---|
| Canada lynx | <i>Lynx canadensis</i> | T |
| Greenback cutthroat trout | <i>Oncorhynchus clarki stomias</i> | T |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |
| Least Tern (interior population)▲ | <i>Sternula antillarum</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Pawnee montane skipper | <i>Hesperia leonardus montana</i> | T |
| Penland alpine fen mustard | <i>Eutrema penlandii</i> | T |
| Piping Plover▲ | <i>Charadrius melodus</i> | T |
| Uncompahgre fritillary butterfly | <i>Boloria acrocneuma</i> | E |
| Western prairie fringed orchid▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane▲ | <i>Grus americana</i> | E |

PHILLIPS

None

PITKIN

| | | |
|----------------------------------|------------------------------------|---|
| Bonytail chub* | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Greenback cutthroat trout# | <i>Oncorhynchus clarki stomias</i> | T |
| Humpback chub* | <i>Gila cypha</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| Uncompahgre fritillary butterfly | <i>Boloria acrocneuma</i> | E |
| Ute ladies'-tresses orchid | <i>Spiranthes diluvialis</i> | T |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

PROWERS

| | | |
|----------------------------------|-----------------------------------|---|
| Arkansas darter | <i>Etheostoma cragini</i> | C |
| Least Tern (interior population) | <i>Sternula antillarum</i> | E |
| Lesser Prairie Chicken | <i>Tympanuchus pallidicinctus</i> | C |
| Piping Plover | <i>Charadrius melodus</i> | T |

PUEBLO

| | | |
|---------------------------|------------------------------------|---|
| Arkansas darter | <i>Etheostoma cragini</i> | C |
| Black-footed ferret § | <i>Mustela nigripes</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Greenback cutthroat trout | <i>Oncorhynchus clarki stomias</i> | T |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |

RIO BLANCO

| | | |
|--------------------------|---|---|
| Black-footed ferret | <i>Mustela nigripes</i> | E |
| Bonytail chub* | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado pikeminnow© | <i>Ptychocheilus lucius</i> | E |
| Dudley Bluffs bladderpod | <i>Physaria congesta</i> | T |
| Dudley Bluffs twinpod | <i>Physaria obcordata</i> | T |
| Graham beardtongue | <i>Penstemon grahamii</i> | P |
| Greater Sage-grouse | <i>Centrocercus urophasianus</i> | C |
| Humpback chub* | <i>Gila cypha</i> | E |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| White River beardtongue | <i>Penstemon scariosus</i> var. <i>albifluvis</i> | C |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

RIO GRANDE

| | | |
|----------------------------------|---------------------------------------|---|
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| Rio Grande cutthroat trout | <i>Oncorhynchus clarki virginalis</i> | C |
| Southwestern Willow Flycatcher | <i>Empidonax traillii extimus</i> | E |
| Uncompahgre fritillary butterfly | <i>Boloria acrocnema</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

ROUTT

| | | |
|----------------------------|------------------------------------|---|
| Bonytail chub* | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Greater Sage-grouse | <i>Centrocercus urophasianus</i> | C |
| Greenback cutthroat trout# | <i>Oncorhynchus clarki stomias</i> | T |
| Humpback chub* | <i>Gila cypha</i> | E |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

SAGUACHE

| | | |
|----------------------------|------------------------------------|---|
| Black-footed ferret | <i>Mustela nigripes</i> | E |
| Bonytail chub* | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Greenback cutthroat trout# | <i>Oncorhynchus clarki stomias</i> | T |
| Gunnison Sage-grouse | <i>Centrocercus minimus</i> | C |
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |

| | | |
|----------------------------------|---------------------------------------|---|
| Humpback chub* | <i>Gila cypha</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| Rio Grande cutthroat trout | <i>Oncorhynchus clarki virginalis</i> | C |
| Skiff milkvetch | <i>Astragalus microcymbus</i> | C |
| Southwestern Willow Flycatcher | <i>Empidonax traillii extimus</i> | E |
| Uncompahgre fritillary butterfly | <i>Boloria acrocnema</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

SAN JUAN

| | | |
|----------------------------------|---------------------------------------|---|
| Bonytail chub* | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Humpback chub* | <i>Gila cypha</i> | E |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| Rio Grande cutthroat trout | <i>Oncorhynchus clarki virginalis</i> | C |
| Southwestern Willow Flycatcher | <i>Empidonax traillii extimus</i> | E |
| Uncompahgre fritillary butterfly | <i>Boloria acrocnema</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

SAN MIGUEL

| | | |
|----------------------------------|-----------------------------------|---|
| Black-footed ferret | <i>Mustela nigripes</i> | E |
| Bonytail chub* | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Gunnison Sage-grouse | <i>Centrocercus minimus</i> | C |
| Humpback chub* | <i>Gila cypha</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| Southwestern Willow Flycatcher | <i>Empidonax traillii extimus</i> | E |
| Uncompahgre fritillary butterfly | <i>Boloria acrocnema</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

SEDGWICK

| | | |
|----------------------------------|------------------------------|---|
| Least Tern (interior population) | <i>Sternula antillarum</i> | E |
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Piping Plover | <i>Charadrius melodus</i> | T |
| Western prairie fringed orchid▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane▲ | <i>Grus americana</i> | E |

SUMMIT

| | | |
|----------------|------------------------|---|
| Bonytail chub* | <i>Gila elegans</i> | E |
| Canada lynx | <i>Lynx canadensis</i> | T |

| | | |
|----------------------------------|------------------------------------|---|
| Colorado pikeminnow* | <i>Ptychocheilus lucius</i> | E |
| Greater Sage-grouse | <i>Centrocercus urophasianus</i> | C |
| Greenback cutthroat trout# | <i>Oncorhynchus clarki stomias</i> | T |
| Humpback chub* | <i>Gila cypha</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Osterhout milkvetch | <i>Astragalus osterhoutii</i> | E |
| Penland alpine fen mustard | <i>Eutrema penlandii</i> | T |
| Razorback sucker* | <i>Xyrauchen texanus</i> | E |
| Uncompahgre fritillary butterfly | <i>Boloria acrocneuma</i> | E |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | C |

TELLER

| | | |
|-----------------------------------|-----------------------------------|---|
| Gunnison's prairie dog | <i>Cynomys gunnisoni</i> | C |
| Least Tern (interior population)▲ | <i>Sternula antillarum</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| North American wolverine | <i>Gulo gulo luscus</i> | C |
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Pawnee montane skipper | <i>Hesperia leonardus montana</i> | T |
| Piping Plover▲ | <i>Charadrius melodus</i> | T |
| Preble's meadow jumping mouse© | <i>Zapus hudsonius preblei</i> | T |
| Western prairie fringed orchid▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane▲ | <i>Grus americana</i> | E |

WASHINGTON

| | | |
|-----------------------------------|------------------------------|---|
| Least Tern (interior population)▲ | <i>Sternula antillarum</i> | E |
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Piping Plover▲ | <i>Charadrius melodus</i> | T |
| Western prairie fringed orchid▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane▲ | <i>Grus americana</i> | E |

WELD

| | | |
|-----------------------------------|---|---|
| Colorado butterfly plant | <i>Gaura neomexicana</i> spp. <i>coloradensis</i> | T |
| Least Tern (interior population)▲ | <i>Sternula antillarum</i> | E |
| Mexican Spotted Owl | <i>Strix occidentalis lucida</i> | T |
| Pallid sturgeon▲ | <i>Scaphirhynchus albus</i> | E |
| Piping Plover▲ | <i>Charadrius melodus</i> | T |
| Preble's meadow jumping mouse | <i>Zapus hudsonius preblei</i> | T |
| Ute ladies'-tresses orchid | <i>Spiranthes diluvialis</i> | T |
| Western prairie fringed orchid▲ | <i>Platanthera praeclara</i> | T |
| Whooping Crane▲ | <i>Grus americana</i> | E |

YUMA

None